

FREMONT COUNTY'S
COLORADO DIVISION OF WATER RESOURCES
INFORMATION FORM FOR SUBDIVISIONS

The Fremont County Department of Planning & Zoning (Department) is required to submit proposed land use actions to the State Engineer's Office (SEO) at the Colorado Division of Water Resources (DWR). The SEO is responsible for providing an opinion regarding material injury likely to occur to decreed water rights by virtue of diversion of water necessary or proposed to be used to supply the proposed land use action.

This DWR Information Form must be filled out completely and accurately to ensure that the submittal to the DWR regarding this proposed land use action includes the necessary information required by that agency. The DWR has 21 days to respond to County submittals. Incomplete submittals will be returned to the County for additional information and then must be resubmitted to the DWR.

Please note that the DWR timeframe for review may not coincide with the County deadlines or meetings, and if the DWR requires additional information, further delays may occur.

Attachments can be made to this application to provide expanded narrative for any application item including supportive documentation or evidence for provided application item answers. Please indicate at the application item that there is an attachment and label it as an exhibit with the application item number, a period and the number of the attachment for that item (*as an example, the first attached document providing evidence in support of the answer given at application item number 8 would be marked - Exhibit DWR-8.1, the fifth attached document supporting the narrative provided for application item 8 would be marked - Exhibit DWR-8.5*). Exhibit numbers should be placed in the lower right hand area of the exhibit.

1. Name of proposed project: _____
2. Provide a plat map of the proposed subdivision with an identified location that includes a quarter-quarter, section, township, range and principle meridian (PLSS), marked as Exhibit DWR-2.1. An exhibit has been attached.
3. Thoroughly complete Water Supply Information Summary, Form No. GWS-76 (attached). *Incomplete forms may be returned for additional information and may subject the submittal to further processing time. It should be noted that for Item 9, Estimated Water Requirements, standard water use rates used by the State Engineer's Office (SEO), as found in the Guide to Colorado Well Permits, Water Rights, and Water Administration, are 0.3 acre-foot (97,755 gallons) per year for each ordinary household, 0.05 acre-foot (16,293 gallons) per year for four large domestic animals, and 0.05 acre-foot (16,293 gallons) per year for each 1,000 square feet of lawn and garden irrigation. Particular attention should be paid to Item 10, Water Supply Source, to ensure a proposed source of water is included for **each parcel of land** involved in the subdivision. If the water supply source is a municipality or quasi-municipality, the applicant **must** provide a letter of commitment which references the subdivision name and the level of commitment in terms of uses to be served and quantity of water to be supplied.*
4. Is the source a municipality or quasi-municipality? Yes --- No If yes, a report is required to document the following:

