



Child Care Inspection Report

Dedicated to protecting and improving the health
and environment of the people of Colorado

Fremont County Department of Public
Health & Environment
201 N. Sixth St
Cañon City, CO 81212

Permit ID 23-CCP99-0012743

Address 810 3rd Florence, CO 81226

Facility DBA The Ark

Permit Type Child Day Care Permit

Total Time 1.930 hours

Insp Date 1/8/2020

Inspection Type Routine Inspection

IN = In Compliance OUT = Out of Compliance NO = Not Observed NA = Not Applicable COS = Corrected On-Site During Inspection R = Repeat Violation
- - - = Not Applicable

DESIGN	COS	R	IN	OUT	NO	N/A
3.a Construction Approval			✓			
PREMISES	COS	R	IN	OUT	NO	N/A
6.a Grounds Maintained			✓			
6.b Grounds Hazards - Critical			✓			
6.c Solid Waste			✓			
6.d Pools, Hot Tubs & Swim Areas - Critical						✓
FACILITY	COS	R	IN	OUT	NO	N/A
7.a Building Hazards Controlled - Critical			✓			
7.b Building			✓			
7.c Detached Modular Classrooms						
FACILITIES & CONTROLS	COS	R	IN	OUT	NO	N/A
8.a Safe Water Supply - Critical			✓			
8.b Water System Design/Testing			✓			
8.c Drinking Water Access - Critical			✓			
8.d Hot Water Supply - Critical			✓			
8.e Sewage - Critical			✓			
8.f Plumbing			✓			
8.g Toilet Facilities			✓			
8.h Handwashing Access and Supplies - Critical			✓			
8.i Toileting Hygiene - Critical			✓			
8.j Handwashing/Bathing Facilities			✓			
8.k Custodial Areas			✓			
DESIGN	COS	R	IN	OUT	NO	N/A
9.a Personal Belongings			✓			
9.b Play Equipment			✓			
9.c Napping, Sleeping Areas and Equipment			✓			
9.d Transmission from Common Surfaces - Critical			✓			
9.e Toys, Furnishings & Equipment			✓			
9.f Injured Child Area - Critical			✓			
PREVENTION	COS	R	IN	OUT	NO	N/A
10.a Personal Health - Critical			✓			

10.b Demonstration of Knowledge			✓			
10.c Handwash & Hygienic Practices - Critical			✓			
10.d Medication and First Aid - Critical			✓			
10.e Sanitizers - Critical	✓			✓		
Corrected On-Site: Yes Repeat: No Correction Method: No Follow-Up Required						
Comments: 7.10.5.C.1 Household bleach is in use at concentrations above the required maximum concentration of 200ppm chlorine. Sanitizer in kitchen measured well above 200 ppm and is mislabeled as 1/4 tablespoon instead of 1/4teaspoon. Corrected during inspection. The label was accurately changed to 1/4 teaspoon and will be mixed properly tomorrow.						
10.f Disinfectants - Critical			✓			
SERVICE	COS	R	IN	OUT	NO	N/A
11.a Adequate Facilities - Critical			✓			
11.b Critical Requirements - Critical			✓			
11.c Non-Critical Requirements	✓			✓		
Corrected On-Site: Yes Repeat: No Correction Method: No Follow-Up Required						
Comments: 7.11 Food service operations do not meet the non-critical requirements of CCR 1010-2, Colorado Retail Food Establishment Rules and Regulations. Ambient air thermometer in refrigerator is not calibrated, it is measuring 50 degrees, in the danger zone while the actual temperature is 39 degrees.						
11.d Plumbing - Critical			✓			
11.e Ventilation			✓			
11.f Cooking and Holding Equipment			✓			
11.g Refrigeration			✓			
11.h Domestic Equipment			✓			
11.i Operational Requirements - Critical	✓	✓		✓		
Corrected On-Site: Yes Repeat: Yes Correction Method: No Follow-Up Required						
Comments: 7.11.6.A Date marking requirements are not followed in facilities that serve a highly susceptible population. Mozzarella cheese, is not dated and is required to be.						
PROGRAMS	COS	R	IN	OUT	NO	N/A
12.a Personal Items and Bedding			✓			
12.b Staff Clothing for Infant Care			✓			
12.c Feeding - Critical			✓			
12.d Diapering - Critical			✓			
OF ANIMALS	COS	R	IN	OUT	NO	N/A
13.a General Care of Animals						
13.b Prohibited Animals - Critical			✓			
13.c Animal Bite Control						

13.d Enclosures						
13.e Child Participation - Critical			✓			
13.f Designated Animal Areas						
MATERIALS MANAGEMENT	COS	R	IN	OUT	NO	N/A
14.a Insect and Rodent Control - Critical			✓			
14.b Poisonous or Toxic Materials -Critical			✓			
14.c Art and Science Materials - Critical			✓			
PROCEDURES	COS	R	IN	OUT	NO	N/A
15.a Critical Enforcement - Critical			✓			
15.b Non-critical enforcement			✓			

Inspector's Comments

License Recommended Approved
 5 vaccinations records reviewed, all in compliance.



(1/8/2020 1:04:20 PM)

1/8/2020 1:04:20PM

Person In Charge (Signature)



Amy Jamison (1/8/2020 1:04:20 PM)

1/8/2020 1:04:20PM

Inspector (Signature)