

FREMONT COUNTY ENVIRONMENTAL HEALTH SERVICES

201 N 6th St
 CAÑON CITY, COLORADO 81212
 (719) 276-7450 FAX NUMBER (719) 276-7461
amy.jamison@fremontco.com

BODY ART INSPECTION FORM

PAGE 1 OF 2

Owner Name Jonathan Amparan		Inspection date 6-22-2023	
Facility Name Royal Gorge Custom Tattoo & Piercings		Phone #	Fax#
Facility Address 519 Main St Canon City		Email Address	
Type of Inspection: <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Re-inspection <input type="checkbox"/> Pre-opening <input type="checkbox"/> Complaint		Type of Facility (Check all that apply) : <input checked="" type="checkbox"/> Tattoo <input checked="" type="checkbox"/> Body Piercing <input type="checkbox"/> Cosmetic Tattooing <input type="checkbox"/> Branding <input type="checkbox"/> Scarification <input type="checkbox"/> Sculpting <input type="checkbox"/> Other	
Certificate of Compliance Posted <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> New Facility		Follow up Inspection required <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Certificate of Compliance Approved <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Establishment Closed Until Abatement of Violations <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA		Follow up Inspection will be conducted on or after	

VIOLATIONS

<input type="checkbox"/>	2-201(a)	DEMONSTRATION OF KNOWLEDGE, ALL BODY ARTISTS, UNIVERSAL PRECAUTIONS, ETC.*
<input type="checkbox"/>	2-201(b)	HEPATITIS B VACCINE FOR EACH ARTIST OR MEDICAL EXEMPTION
<input type="checkbox"/>	3-301	CERTIFICATE OF SUBSTANTIAL COMPLIANCE
<input type="checkbox"/>	3-302	PERSON(S) IN CHARGE AT ALL TIMES
<input type="checkbox"/>	3-303	EMPLOYEE/ARTIST INFORMATION ON FILE & AVAILABLE
<input type="checkbox"/>	3-304(a)	PERSON IN CHARGE ACCESS TO AGREEMENT FOR SHARPS/INFECTIOUS WASTE DISPOSAL
<input type="checkbox"/>	3-304(b)	PERSON IN CHARGE ACCESS TO SPORE TEST LOG AND TEST RESULTS
<input type="checkbox"/>	3-304(c)	PERSON IN CHARGE ACCESS TO CLIENT RECORDS (MAINTAINED FOR 3 YEARS)
<input type="checkbox"/>	3-304(d)	PERSON IN CHARGE ACCESS TO MANUFACTURER'S INFORMATION ON STERILIZATION EQUIPMENT
<input type="checkbox"/>	3-304(e)	PERSON IN CHARGE ACCESS TO INFECTION & EXPOSURE CONTROL WRITTEN PROCEDURES
<input type="checkbox"/>	4-402	CLIENT DISCLOSURE OF MEDICAL CONDITIONS
<input type="checkbox"/>	4-403	CLIENT CONSENT FORMS COMPLETED FOR ALL PROCEDURES AND AVAILABLE; AFTERCARE INSTRUCTIONS
<input type="checkbox"/>	4-404	PARENTAL OR LEGAL GUARDIAN CONSENT FORM FOR MINORS (UNDER 18) WITH PHOTO ID
<input type="checkbox"/>	5-501	FLOORS, WALLS & CEILINGS IN PROCEDURE & INSTRUMENT CLEANING AREAS
<input type="checkbox"/>	5-502	TOILET FACILITIES AVAILABLE, FLOORS & WALLS, GOOD REPAIR
<input type="checkbox"/>	5-503	PREMISES CLEAN, GOOD REPAIR
<input type="checkbox"/>	5-504	ADEQUATE LIGHTING IN PROCEDURE & INSTRUMENT CLEANING AREAS
<input type="checkbox"/>	5-505	WORK SURFACES IN PROCEDURE, INSTRUMENT CLEANING, & TOILET ROOMS SMOOTH & CLEANABLE
<input type="checkbox"/>	5-506	HANDSINKS HOT/COLD WATER, ACCESSIBLE, SOAP & DRYING DEVICES*
<input type="checkbox"/>	5-507	SEPARATE AREA(S) FOR CLEANING, HANDLING & STORING STERILIZED EQUIPMENT
<input type="checkbox"/>	5-508	SINKS USED FOR DESIGNATED PURPOSES ONLY, SEPARATE HANDSINKS, INSTRUMENT WASH SINKS
<input type="checkbox"/>	5-509	WATER, APPROVED SOURCE*
<input type="checkbox"/>	5-510	SEWAGE DISPOSAL*
<input type="checkbox"/>	5-511	REFUSE DISPOSAL, LINED WASTE RECEPTACLES*
<input type="checkbox"/>	5-512	WAITING AREA SEPARATE FROM PROCEDURE AREAS & INSTRUMENT AREAS
<input type="checkbox"/>	5-513	REUSABLE CLOTH ITEMS WASHED/DISINFECTED/STORED
<input type="checkbox"/>	5-514	ANIMALS PROHIBITED IN PRECEDURE AREAS & INSTRUMENT AREAS
<input type="checkbox"/>	5-515	CHEMICALS LABELED, STORED, USED
<input type="checkbox"/>	5-516	ESTABLISHMENT COMPLETELY SEPARATED FROM LIVING AREAS, FOOD PREPARATION, ETC.
<input type="checkbox"/>	5-517	PROCEDURE AREAS CLEARLY SEPARATED FROM HAIR & FINGERNAIL CARE
<input type="checkbox"/>	5-518	UTILITY SINK
<input type="checkbox"/>	5-519	BACKFLOW PREVENTION DEVICES INSTALLED
<input type="checkbox"/>	5-520	SHARPS DISPOSAL/INFECTIOUS WASTE DISPOSAL, SHARPS CONTAINERS, RED BIO-HAZARD BAGS*
<input type="checkbox"/>	6-601	PERMANENT FACILITY
<input type="checkbox"/>	7-701	INFECTION & EXPOSURE CONTROL WRITTEN PROCEDURES*
<input type="checkbox"/>	8-801(a)	PENETRATING INSTRUMENTS PROPERLY CLEANED BEFORE STERILIZATION
<input type="checkbox"/>	8-801(b)	ALL INSTRUMENTS PLACED IN PROCEDURE AREA REPACKAGED & RE-STERILIZED*
<input type="checkbox"/>	8-801(c)	EMPLOYEES WEAR HEAVY-DUTY WATERPROOF GLOVES FOR INSTRUMENT CLEANING
<input checked="" type="checkbox"/>	8-801(d)	USED INSTRUMENTS SOAKED IN DISINFECTANT UNTIL CLEANED
<input type="checkbox"/>	8-801(e)	INSTRUMENTS DISASSEMBLED FOR CLEANING
<input type="checkbox"/>	8-801(f)	INSTRUMENT COMPONENTS PROPERLY CLEANED MANUALLY OR ULTRASONIC, PRE STERILIZATION

<input type="checkbox"/>	8-802(a)	EMPLOYEE GLOVE USE TO PACKAGE/WRAP INSTRUMENTS FOR STERILIZATION
<input checked="" type="checkbox"/>	8-802(b)	STERILIZER INDICATOR ON EACH PACKAGE OF INSTRUMENTS*
<input checked="" type="checkbox"/>	8-802(c)	INSTRUMENT PACKAGES LABELED WITH TIME/ DATE OF STERILIZATION, NO USE AFTER 6 MONTHS*
<input type="checkbox"/>	8-803(a)	STERILIZER DESIGNED & LABELED AS MEDICAL INSTRUMENT STERILIZER
<input type="checkbox"/>	8-803(b)	OPERATOR'S MANUAL FOR STERILIZER AVAILABLE, USED PER MANUAL RECOMMENDATIONS
<input type="checkbox"/>	8-803(c)	STERILIZER CLEANED & MAINTAINED PER MANUFACTURER'S SPECIFICATIONS
<input type="checkbox"/>	8-803(d)	STERILIZER LOAD LOG AVAILABLE AND MAINTAINED FOR 3 YEARS*
<input type="checkbox"/>		1. LOG CONTAINS DESCRIPTION OF INSTRUMENTS IN LOAD
<input type="checkbox"/>		2. DATE OF STERILIZATION LOAD & TIME OR OTHER UNIQUE IDENTIFIER IF MORE THAN 1 LOAD DAILY
<input type="checkbox"/>		3. STERILIZER CYCLE TIME & TEMPERATURE
<input type="checkbox"/>		4. COLOR CHANGE INDICATOR ON EACH PACKAGE
<input type="checkbox"/>		5. ACTION TAKEN IF COLOR CHANGE DID NOT OCCUR
<input type="checkbox"/>	8-803(e)	MONTHLY SPORE TEST, INDEPENDENT LAB, RECORDS MAINTAINED FOR 3 YEARS AND AVAILABLE *
<input type="checkbox"/>	8-804	STORAGE & HANDLING OF STERILIZED INSTRUMENT PACKS.
<input type="checkbox"/>	8-805	SINGLE-USE ITEMS PROPERLY DISPOSED OF, ALL SHARPS INTO APPROVED SHARPS CONTAINERS*
<input type="checkbox"/>	9-901(c)	PROCEDURES PERFORMED ON DRUG OR ALCOHOL IMPAIRED CLIENT PROHIBITED
<input type="checkbox"/>	9-901(d)	SMOKING, EATING, DRINKING IN PROCEDURE & INSTRUMENT CLEANING AREAS PROHIBITED
<input type="checkbox"/>	9-901(e)	PROCEDURES ON UNHEALTHY SKIN PROHIBITED
<input type="checkbox"/>	9-901(f)	PROCEDURES ON MINOR (UNDER 18) W/O WRITTEN PARENTAL OR GUARDIAN CONSENT PROHIBITED
<input type="checkbox"/>	9-902(a)	PROPER HANDWASHING, SOAP & DISPOSABLE PAPER TOWELS OR AIR DRYING DEVICE AVAILABLE*
<input type="checkbox"/>	9-902(b)	PROPER USE OF DISPOSABLE GLOVES*
<input type="checkbox"/>	9-902(c)	CHANGE DRAPES, LAP CLOTHS OR APRONS BETWEEN EACH CLIENT, PROPER WASHING IF MULTI-USE
<input type="checkbox"/>	9-902(d)	PROPER GLOVE USE WHILE ASSEMBLING INSTRUMENTS & SUPPLIES. ALL STERILIZED INSTRUMENTS IN STERILE PACKAGES UNTIL OPENED IN FRONT OF CLIENT*
<input type="checkbox"/>	9-902(e)(f)	SINGLE-USE PORTIONS PROPERLY USED, DISCARDED*
<input type="checkbox"/>	9-902(g)	PROCEDURE AREA DISINFECTED AFTER EACH CLIENT, SINGLE USE PAPER TOWELS*
<input type="checkbox"/>	9-903(a)	STENCILS, SINGLE USE*
<input type="checkbox"/>	9-903(b)	SKIN PREP. BEFORE STENCIL APPLICATION, SINGLE-USE RAZORS, TREATED WITH ANTISEPTIC*
<input type="checkbox"/>	9-903(c)	SOLID DEODORANT USED PRIOR TO STENCIL, SINGLE-USE, OR MAY BE GIVEN TO CUSTOMER
<input type="checkbox"/>	9-903(d)	INKS, DYES, PIGMENTS SINGLE USE, UNUSED PRODUCT DISCARDED*
<input type="checkbox"/>	9-903(e)	SINGLE-USE PRODUCTS TO REMOVE EXCESS INK, DYE, PIGMENT
<input type="checkbox"/>	9-903(e)	DISPOSABLE CUPS ONLY FOR CLEANING INK FROM THE NEEDLE
<input type="checkbox"/>	9-903(f)	SINGLE-USE TATTOO NEEDLES ONLY, NEEDLES PROPERLY DISCARDED*
<input type="checkbox"/>	9-903(g)	PROCEDURE AREA ON BODY COVERED WITH APPROVED MATERIAL FOR DRESSING WOUNDS, GAUZE, BANDAGE, SKIN TAPE (NO PLASTIC WRAP)*
<input type="checkbox"/>	9-904(a)	SKIN PREP. BEFORE PIERCING, CLEANED WITH SOAP AND TREATED WITH MEDICAL ANTISEPTIC
<input type="checkbox"/>	9-904(b)	ONLY STERILE SINGLE-USE NEEDLES USED FOR PIERCING, PROPERLY DISCARDED*
<input type="checkbox"/>	9-904(c)	JEWELRY STERILIZED OR NEW JEWELRY DISINFECTED, CLEAN, IN GOOD CONDITION*
<input type="checkbox"/>	9-904(d)	STUD & CLASP SYSTEMS PROPERLY USED, ONLY ON EARLOBES OR OUTER PERIMETER OF EAR*

SECTION	DESCRIPTION OF VIOLATION / COMMENTS	CORRECT BY
8-801(d)	Used instruments soaking in disinfectant are not completely submerged. Discussed during inspection.	COS
8-802 (c)	Observed a sterilized instrument and sterilized piercing jewelry past 6-month date. Instrument sterilized on January 20 th . Jewelry sterilized October of 2022. Packages are no longer considered sterile after 6 months and these items must be re-sterilized prior to use. Observed sterilization packages past expiration date. These should no longer be used after expiration date to make sure a proper sterilizing indicator color change is occurring.	COS
	Routine inspection. All 2023 fees are paid. Certificate of Substantial Compliance will be mailed.	

<p><i>Amy Jamison</i></p> <p>Environmental Health Specialist</p>	<p>Received By / Title</p>
--	----------------------------

***CRITICAL ITEM VIOLATION** COS=Corrected on Site
 Unless otherwise noted, violations are required to be corrected by the next routine inspection.
 ADDITIONAL VIOLATIONS AND/OR CORRECTIVE ACTIONS MAY BE DESCRIBED ON ATTACHED PAGE(S).